LIQUIDOS Y POLVOS
LIQUIDS AND POWDERS



ABRASIVOS ALICANTE

ABRASIVOS ALICANTE
Innovation in the service of Surfaces
MULTI ACCIÓN
Gres, Barro, Granito, Porcelánico, Piedra no pulida, etc
ACID PLUS
Eliminador de cemento, yeso, oxido, cal, salitre, etc
5 litros
Capacidad neto
PRO Producto destinado a uso profesional
No ataca a los metales
Rápida acción
Producto concetrado
No tóxico
No contiene ácido clorhídrico
Perfumado



Acid-Plus

Eliminador de cemento, yeso, óxido, cal, salitre, etc

MATERIALES: Gres, Barro, Granito, Porcelánico, Piedra no pulida, etc.

MODO DE EMPLEO:

Aplicación manual (2-4%) Diluir de 200ml a 400ml en 10 litros de agua, según nivel de suciedad. Posteriormente aplicar con fregona o mopa sobre la superficie a limpiar. Dejar actuar unos minutos y aclarar con agua.
Aplicación con máquina rotativa (10-15%). Diluir de 1000 a 1500ml de ACID PLUS en 10 litros de agua, según nivel de suciedad y distribuirlos con fregona o mopa sobre la superficie a limpiar. Pasar máquina rotativa de baja velocidad (140-250rpm) y DISCO FLOOR PAD de color marrón o negro. Aclarar con agua y recoger la suciedad, preferentemente, con aspirador de líquidos.

Acid-Plus

Cement, plaster, rust, lime, salt, etc remover.

MATERIALS: Stoneware, Clay, Granite, Porcelanic, Unpolished Stone, etc

APPLICATION & DOSAGE:

Manual Application (2-4%); Dilute 200 to 400 ml of ACID PLUS in 10 liters of water, according to dirt level. Next, apply with the mop to clean the surface. Leave on a few minutes and rinse with water.
Application with rotating machinery (10-15%) Dilute 1000 to 1500ml of ACID PLUS in 10 liters of water, according to dirt level and distribute it with the mop to clean the surface. Use the machine low rotating machine speed (140-250rpm) and brown and black FLOOR PAD. Rinse with water and collect the dirt, preferably with wet vacuum.

Caracteristicas	Characteristics
* No ataca a los metales	*Does not attack metals
* No tóxico	*Non toxic
* No contiene ácido clorhídrico	*Does not contain hydrochloricacid
* Rápida acción	*Fast action
* Producto concentrado	*Concentrated product
* Perfumado	*Perfumed

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box









Wax-Off

Eliminador de ceras y cristalizadores

MATERIALES: Todo tipo de materiales.
MODO DE EMPLEO:
Aplicación manual (10%); Diluir 1000ml de WAX OFF en 10 litros de agua. Distribuir la disolución de producto sobre la superficie a decapar mediante fregona o mopa. Dejar actuar unos minutos y aclarar con agua hasta dejar la superficie neutra.
Aplicación con máquina rotativa (10%). Diluir 1000ml de WAX OFF en 10 litros de agua y distribuir la disolución de producto sobre la superficie a decapar a través del depósito de la máquina rotativa o mediante fregona. Dejar actuar unos minutos sobre la superficie. Pasar máquina rotativa de baja velocidad (140-250rpm) y DISCO FLOOR PAD de color marrón o negro. Recoger la cera decapada, preferentemente con un aspirador de líquidos, y aclarar con agua a través de la máquina rotativa y DISCO FLOOR PAD de color rojo.

Caracteristicas	Characteristics
* No deja residuos	*Leaves no residues
* Rápida acción	*Fast action
* Alto poder desengrasante	*High degreasing power
* Producto concentrado	*Concentrated product
* No tóxico	*Non toxic
* Perfumado	*Perfumed

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box

Wax-Off

Wax and Crystallizer remover.

MATERIALS: All type of materials.
APPLICATION & DOSAGE:
Manual application (10%); Dilute 1000ml of WAX OFF in 10 liters of water. Distribute the product solution on the surface to strip with mop. Leave on for a few minutes and rinse with water to leave the surface neutral.
Application with rotating machine (10%). Dilute 1000ml of WAX OFF in 10 liters of water and distribute the product solution pickle on the surface to be pickled through the deposit of the rotative machine or by mop. Leave on the surface for a few minutes. Use low-speed rotating machine (140-250rpm) and brown or black FLOOR PAD. Collect the pickled wax, preferably with a wet vacuum, and rinse with water from the rotaring machine and red FLOOR PAD.









Deter- Graff

Eliminador de grafiti, tintas y pintura

MATERIALES: Todo tipo de materiales
MODO DE EMPLEO:
Aplicación manual (100%): Aplicar DETER-GRAFF puro con brocha o cepillo, hasta que empiece a disolver el graffiti. Volver a aplicar y dejar actuar durante un par de minutos. Por último aclarar preferiblemente con agua caliente frotando enérgicamente la superficie.
Aplicación con máquina hidrolimpiadora (100%): Aplicar DETER-GRAFF puro con rociadora, brocha o cepillo hasta que empiece a disolver el graffiti. volver a aplicar y dejar actuar durante un par de minutos. Por último aclarar con máquina hidrolimpiadora de alta presión, preferiblemente con agua caliente.
Recomendaciones:
-Usar protección adecuada: guantes y gafas.
-Para superficies cubiertas y uso prolongado se recomienda el uso de mascarilla.
-Para superficies calcareas (mármol, terrazo, etc) superficies plásticas y metálicas hacer una prueba previa.

Caracteristicas

* Rápida acción
* Producto concentrado
* No viscoso
* Espuma controlada
* Fácil aplicación

Characteristics

*Fast action
*Concentrated product
*Non viscous
*Controlled foam
*Easy application

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box

Deter- Graff

Graffiti, ink and paint remover.

MATERIALS: All type of materials.
APPLICATION & DOSAGE:
Manual application (100%); Apply DETER-GRAFF with clean brush, until it begins to dissolve the graffiti. Re-apply and leave for a couple of minutes. Finally clarify preferably with hot water vigorously rubbing the surface.
Washer machine application (100%): Apply DETER-GRAFF with spray gun, or brush, until it begins to dissolve the graffiti. Re-apply and leave for a couple of minutes. Finally rinse with high pressure washer, preferably with hot water.
Recomendaciones:
- Use suitable protective gloves and glasses.
- For interior surfaces and prolonged use, it is recommended using mask. - For limestone surfaces (marble, terrazzo, etc.) metal and plastic surfaces, do a pretest.









Stain Off

Eliminador de grasas vegetables, animales y minerales.

MATERIALES: Todo tipo de materiales.
MODO DE EMPLEO:
Aplicación Manual (2-4%): Diluir de 200 a 400ml de STAIN OFF en 10 litros de agua según nivel de suciedad. Aplicar con fregona o mopa sobre la superficie a limpiar. Dejar actuar unos minutos y aclarar.
Aplicación con máquina alta presión (1-3%): Introducir STAIN OFF puro dentro de la máquina de alta presión. Regular el potenciómetro de la máquina del 1 al 3% dependiendo del nivel de suciedad a eliminar. Aplicar la disolución del producto sobre la superficie a limpiar según las instrucciones de la máquina. Por último aclarar con agua.
Aplicación con máquina fregadora (1-2%): Diluir de 100 a 200ml de STAIN OFF en 10 litros de agua según el nivel de suciedad, dentro del depósito de agua limpia de la máquina fregadora. Empezar a fregar según instrucciones de la máquina fregadora.
Aplicación con máquina rotativa (5-10%): Diluir de 500 a 1000ml de STAIN OFF en 10 litros de agua según nivel de suciedad, y distribuirlos con fregona o mopa sobre la superficie a limpiar. Pasar máquina rotativa de baja velocidad (140-250r.p.m) y disco FLOOR PAD de color marrón o negro. Aclarar y recoger la suciedad, preferentemente, con aspirador de líquidos.

Caracteristicas

* Rápida acción
* Espuma controlada
* Producto concentrado
* Alto poder desengrasante
* No tóxico
* Perfumado

Characteristics

* Fast action
* Controlled foam
* Concentrated product
* High degreasing power
* Non toxic
* Perfumed

Envase / Container


1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box

Stain Off

Vegetal, animal and mineral grease remover.

MATERIALS: All type of products
APPLICATION & DOSAGE:
Manual application (2-4%);Dilute 200 to 400ml of STAIN OFF in 10 liters of water according to dirt level. Apply with mop to clean the surface. Leave on for a few minutes and rinse.
Application with rotating machinery (5-10%): Introduce pure STAIN OFF in high-pressure machine. Adjust the potentiometer of the machine from 1 to 3% depending on the level of dirt to remove. Apply the product solution on the surface to be cleaned according to the machine instructions finally rinse with water.
Scrubbing machine application (1-2%): Dilute 100 to 200ml of STAIN OFF in 10 liters of water according to dirt level, inside the tank with clean water in scrubbing machine. Start by scrubbing according to the scrubbing machine instructions.
Application with rotating machinery (5-10%): Dilute 500 to 1000ml of STAIN OFF in 10 liters of water according to dirt level, and distribute with mop to clean the surface. Use low-speed rotating machine (140-250r.p.m) and brown or black FLOOR PAD. Rinse and pick up dirt, preferably with wet vacuum.







Crystal

Cristalizador, vetrificador, y sellador de superficies calcáreas.

MATERIALES: Mármol y terrazo.
MODO DE EMPLEO:
Aplicación con máquina rotativa (100%): Rociar el producto puro sobre la superficie a tratar. Dejar unos segundos y pasar la máquina rotativa de baja velocidad (140-250 r.p.m.) con la de acero fina (0-00) hasta conseguir el brillo deseado. Proteger del frío. Agitar bien antes de usar. En periodos largos de almacenamiento o cambios bruscos de temperatura puede surgir una ligera decantación. En estos casos, se recomienda agitar varias veces el envase hasta la completa homogeneización del producto.

Crystal

Crystallizer, vitrificator and sealer of limestone surfaces.

MATERIALS: Marble and Terrazo.
APPLICATION & DOSAGE:
Application with rotating machine (100%): Sprinkle the pure product on the surface to be treated. Leave a few seconds and pass the low-speed rotating machine (140-250rpm) with fine steel wool (0-00) until achieving the desired shine. Protect form cold. Shake well before using. For long periods of storage or sudden temperature changes there may be a slight decant. In these cases, it is recommended to shake the container several times until complete homogenization of the product.

Caracteristicas

* Antideslizante
* Brillo duradero
* Incrementa la dureza del pavimento
* Brillo espejo
* Producto concentrado

Characteristics

* Non slipping
* Lasting shine
* Increase in hardness of the floor
* Mirror shine
* Concentrated product

Envase / Container

1 Litro/Liter .... 12 Ud./Caja Units/Box

5 Litros/Liters .... 4 Ud./Caja Units/Box



Wax Protector

Protector, sellador de superficies muy porosas y abrillantador.

MATERIALES: Terrazo, mármol, cemento, PVC, Linoléo, etc.
MODO DE EMPLEO:
Aplicación manual (100%): Aplicar WAX PROTECTOR puro sobre la superficie a tratar, perfectamente decapada, con aplicador adecuado. Si fuese necesario dar una segunda capa para mayor protección o incremento del brillo, dejar secar un mínimo de dos horas antes de aplicar la segunda mano. Para superficies muy porosas se recomienda diluir el producto al 50% (500ml de agua + 500ml de producto) para aplicar la primera mano.
Recomendaciones:
- Para restaurar la protección o el brillo sobre el pavimento, previamente tratado con WAX PROTECTOR, se recomienda pasar la máquina rotativa de baja velocidad (140-250 r.p.m.) con DISCO FLOOR PAD de color blanco, para restaurar la película protectora.
- No aplicar el producto a temperaturas inferiores a 5ºC.
- Proteger del hielo.





Caracteristicas

* Autobrillante
* Brillo espectacular
* Producto concetrado
* Fácilmente decapable
* Alta resistencia al tráfico
* Duradero
* No tóxico
* Perfumado

Characteristics

* Self-shine
* Spectacular shine
* Concentrated product
* Easy pickling
* High resistance to traffic
* Durable
* Non toxic
* Perfumed

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box

Wax Protector

Protector, very porous surface sealer and polisher.

MATERIALS: Terrazzo, marble, cement, PVC, linoleum, etc.
APPLICATION & DOSAGE:
Manual application (100%): Apply pure WAX PROTECTOR on the surface to be treated, perfectly pickled, with appropriate applicator. If necessary give a second coat for added protection and increased shine, let it dry at least two hours before applying the second coat. For very porous surfaces it is recommended to dilute the product al 50% (500ml water + 500ml of product) to apply the first coat.
Recomendations:
- To restore the protection or shine on the pavement, previously treated with WAX PROTECTOR, it is recommended passing the low-speed rotating machine (140-250 r.p.m.) with white FLOOR PAD, to restore the protective film.
- Do not apply product at temperatures below 5ºC.
- Protect from ice.



Protector & shine

Protector, abrillantador e hidrofugante de superficies.

MATERIALES: Piedra natural y artificial, hormigón y cemento, ladrillo, etc.
MODO DE EMPLEO:
Aplicación manual (100%): Aplicar PROTECTOR & SHINE puro sobre la superficie a tratar,(pavimentos, zócalos, cantos, fachadas, etc) perfectamente limpia, mediante brocha, aplicador adecuado o pulverizador. Si fuese necesario dar una segunda capa para mayor protección o incremento en el brillo, dejar secar un mínimo de dos horas antes de aplicar la segunda mano.
Recomendaciones:
- Usar protección adecuada: guantes y gafas.
- Para superficies cubiertas y uso prolongado se recomienda el uso de mascarilla.
- No fumar durante su aplicación.
- Debe preservarse del calor y el fuego

Características

* Impermeabilizante
* Proporciona un efecto mojado
* Evita eflorescencias
* Homogeneiza el tono
* Resistente a la luz solar
* Resistente ante agentes atmosféricos
* Duradero
* Producto concentrado

Characteristics

* Waterproof
* Provides a wet effect
* Prevents efflorescence
* Homogenizes the tone
* Resistant to sunlight
* Resistant to climatic agents
* Durable
* Perfumed

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box

Protector & Shine

Protector, polisher and water repellent of surfaces.

MATERIALS: Natural and articifial stone, concrete, cement, brick, etc.
APPLICATION & DOSAGE:
Manual application (100%): Apply purte PROTECTOR & SHINE on the surface to be treated (floors, baseboards, edges, facades, etc) perfectly clean, with a brush, applicator or suitable spray gun. If necessary give a second coat for added protection and increased shine, let it dry at least two hours before applying the second coat.
Recommendations:
- Use suitable protective gloves and glasses.
- For interior surfaces and prolonged use, it is recommended using mask.
- No smoking during a application.
- Should be preserved from heat and fire.





Protector Plus

Protector hidro-oleofugante de superficies.

MATERIALES: Piedra natural y artificial, hormigón, cemento, barro, etc.

MODO DE EMPLEO:

Aplicación manual (100%): Aplicar PROTECTOR PLUS puro sobre la superficie a tratar, perfectamente limpia, mediante brocha, rodillo o aerosol. Si fuese necesario dar una segunda capa para mayor protección o incremento en el brillo, dejar secar un mínimo de dos horas antes de aplicar la segunda mano.

Recomendaciones:
- Agitar antes de usar.
- Usar protección adecuada: guantes y gafas.
- Para superficies cubiertas y uso prolongado se recomienda el uso de mascarilla
- No fumar durante su aplicación.
- Debe preservarse del calor y el fuego.

Protector Plus

Water-Oil repellent protector of surfaces.

MATERIALS: Natural and artificial stone, concrete, cement, clay, etc.

APPLICATION & DOSAGE:

Manual application (100%): Apply purte PROTECTOR PLUS on the perfectly clean surface to be treated, by brush, roller or spray. If necessary give a second coat for added protection and increased shine, let it dry at least two hours before applying the second coat.

Recommendations:
- Shake before use.
- Use suitable protective gloves and glasses.
- For interior surfaces and prolonged use, it is recommended using mask.
- No smoking during application. - Should be preserved from heat and fire.

Caracterìstìcas

* Evita las manchas de graffiti
* Impermeabilizante
* Evita la aparición de manchas
* No modifica el color
* Evita eflorescencias
* Resistente a la luz solar
* Resistente ante agentes atmosféricos
* Duradero

Characteristics

* Avoids graffiti marks
* Waterproof
* Prevents staining
* No colour change
* Prevents efflorescence
* Resistant to sunlight
* Resistant to climatic agents
* Durable

Envase / Container

520cc/520cc	12	Ud./Caja Units/Box
1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box







Deter-Metallic Wax

Cera metalizada reticulada con agentes limpiadores.

MATERIALES: Terrazo, mármol, cemento, Pvc, linóleo, etc.
MODO DE EMPLEO:
Protección (100%): Aplicar DETER-METALLIC WAX puro sobre la superficie a tratar con aplicador adecuado. Aplicar dos manos, dejando secar entre capa y capa de 1 a 2 horas. No es recomendable aplicar capas sucesivas de producto. No aplicar el producto a temperaturas inferiores a 5ºC.
Mantenimiento (3-5%): Para el lavado y mantenimiento de pavimentos tratados previamente con DETER-METALLIC WAX, diluir de 300-500ml de DETER-METALLIC WAX en 10litros de agua. Aplicar la disolución sobre el pavimento con fregona o mopa.
Recomendaciones: Para conseguir una protección duradera y un brillo metálico intenso, se recomienda pasar la máquina de alta o super-alta velocidad (800-1200r.p.m.) con DISCO FLOOR PAD adecuado, una vez seco el pavimento. De esta forma se crea o restaura la película metalizada.

Características

* Autobrillante
* Brillo metálico intenso
* Alta resistencia al tráfico
* Fácilmente decapable
* Resistente al agua y el alcohol
* Producto concentrado
* Duradero
* Perfumed

Characteristics

* Self-shining
* Intensive metallic shine
* High resistance to traffic
* Easy pickling
* Water and alcohol resistent
* Concentrated product
* Durable
* Perfumed

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box

Deter-Metallic Wax

Reticulated metallic wax with cleaning agents.

MATERIALS: Terrazzo, marble, concrete, Pvc, linoleum, etc.

APPLICATION & DOSAGE:
Protection (100%): Apply pure DETER-MATELLIC WAX on surfaces to be treated with appropriate applicator. It is not advisable to apply successive layers of product. Do not apply the product at inferior temperatures of 5ºC.
Maintenance (3-5%): For washing and maintenance of pavements petreated with DETER.-METALLIC WAX, dilute 300-500ml of DETER-METALLIC WAX in 10 liters of water. Apply the solution on the floor with mop.
Recommendations: To achieve lasting protection and a bright metallic shine, it is recommended to use the machine at high or super-high speeds (800-1200 r.p.m.) with appropriate FLOOR PAD once the surface is dry. This will create or restore the metallized film.









Deter & Main

Detergente mantenedor del brillo.

MATERIALES: Todo tipo de materiales.
MODO DE EMPLEO:
Aplicación Manual (1-3%): Diluir de 100 a 300ml de DETER & MAIN en 10 litros de agua según nivel de suciedad. Aplicar con fregona o mopa sobre la superficie a limpiar. Dejar actuar unos minutos y aclarar.
Aplicación con máquina fregadora (0,5-1,5%): Diluir 50 a 100ml de DETER & MAIN en 10 litros de agua según nivel de suciedad, dentro del depósito de agua limpia de la máquina fregadora. Empezar a fregar según instrucciones de la máquina fregadora.
Aplicación con máquina rotativa (2-4%): Para la limpieza y mantenimiento de pavimentos tratados previamente con DETER-METALLIC-WAX, WAX PROTECTOR o CRYSTAL PLUS, diluir de 200 a 400ml de DETER & MAIN en 10 litros de agua según nivel de suciedad, y distribuirlos con fregona o mopa sobre la superficie a limpiar. Pasar máquina rotativa de baja velocidad (140-250 r.p.m.) y DISCO FLOOR PAD de color blanco para aumentar el nivel del brillo. Aclarar y recoger la suciedad, preferentemente, con aspirador de líquidos.

Características	Characteristics
* Espuma controlada	* Controlled foam
* Efecto desodorante	* Deodorant effect
* Producto concentrado	* Concentrated product
* pH neutro	* pH neutro
* Secado rápido	* Fast drying
* No tóxico	* Non toxic
* Perfumed	* Perfumed

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box

Deter & Main

Shine Maintainer Detergent

MATERIALS: All type of materials.
APPLICATION & DOSAGE:
Manual application (1-3%): Dilute 100 to 300ml of DETER & MAIN in 10 liters of water according to dirt level. Apply with mop to clean the surface. Leave on for a few minutes and rinse.
Scrubbing machine application (0,5-1,5%): Dilute 50 to 100ml of DETER & MAIN in 10 liters of water according to dirt level, inside the tank with clean water. Start by scrubbing according to the scrubbing machine instructions.
Rotating machine application (2-4%): For cleaning and maintaining floors, previously treated with DETER-METALLIC-WAX, WAX PROTECTOR o CRYSTAL, dilute from 200 a 400ml of DETER & MAIN in 10 liters of water according to dirt level, and distribute with mop to clean the surface. Use low-speed rotating machine (140-250r.p.m.) and WHITE FLOOR PAD to increase the shining level.









Deter-Hygienic

Detergente higienizante.

MATERIALES: Todo tipo de materiales.
MODO DE EMPLEO:
Aplicación manual para eliminación de Moho, Verdín y Algas (10-20%): Diluir de 1000 a 2000ml de DETER-HYGIENIC en 10 litros de agua según el nivel de suciedad. Aplicar con cepillo, brocha preferiblemente sobre la superficie a limpiar y dejar actuar unos minutos. Por último aclarar preferiblemente con agua caliente frotando enérgicamente la superficie.
Aplicación con máquina alta presión para eliminación de Moho, Verdín y Algas (2-5%): Introducir DETER-HYGIENIC puro dentro de la máquina de alta presión. Regular el potenciómetro de la máquina del 2 al 5% dependiendo del nivel de suciedad a eliminar. Aplicar la disolución del producto sobre la superficie a limpiar según las instrucciones de la máquina. Por último aclarar con agua.
Higienización (1-3%): Diluir de 100 a 300ml de DETER-HYGIENIC en 10 litros de agua según nivel de suciedad. Aplicar con fregona o mopa sobre la superficie a limpiar. Dejar actuar unos minutos y aclarar.
Desodorización (100%). Aplicar DETER-HYGIENIC puro, a través de una esponja o bayeta, sobre la superficie a limpiar.

Deter-Hygienic

Hygienic Detergent

MATERIALES: All type of materials.
APPLICATION & DOSAGE:
Manual application to remove moss, green deposits and algae (10-20%): Dilute 1000 to 2000ml of DETER-HYGIENIC in 10 liters of water according to dirt level. Apply with brush on a clean surface and leave for several minutes. Finally clarify preferably with hot water vigorously rubbing the surface.
Application with high-pressure machine to remove moss, green deposits and algae (2-5%): Introduce pure DETER-HYGIENIC in the high-pressure machine. Adjust the potentiometer of the machine 2 to 5% depending on the level of dirt to remove. Apply the product solution on the surface to be cleaned according to the machine instructions. Finally rinse with water.
Hygienic treatment(1-3%). Dilute 100 to 300ml of DETER-HYGIENIC in 10 liters of water according to dirt level. Apply with mop to clean the surface. Leave on for a few minutes and rinse.
Deodorisation(100%): Apply pure DETER-HYGIENIC with a sponge or cloth on the surface to be cleaned.

Características

* Elimina Moho, Verdin y Algas
* Con Armonios Cuaternarios
* Bactericida y Bacteriostático
* Poder desodorante
* Espuma controlada
* Producto concentrado
* pH neutro
* Perfumado

Characteristics

* Remove Moss, Green and Algae
* Quarternary Ammonium Compounds
* Bactericidal and Bacteriostatic
* Deodorant power
* Controlled foam
* Concentrated product
* pH neutro
* Perfumed

Envase / Container

1 Litro/Liter	12	Ud./Caja Units/Box
5 Litros/Liters	4	Ud./Caja Units/Box



Expositor Liquidos One

Expositor sencillo para productos líquidos, compuesto por cuatro estantes, a configurar por el distribuidor autorizado, con productos adecuados a su mercado.

Liquids Display Stand One

Simple display stand for liquid products, compound by 4 shelves to be set by the authorized distributor, with adecuate products for the market.



Expositor Líquidos Two

Expositor doble para productos líquidos, compuesto por ocho estantes a configurar por el distribuidor autorizado, con productos adecuados a su mercado.

Liquids Display Stand Two

Double display stand for liquid products, compound by 8 shelves to be set by the authorized distributor, with adecuate products for the market.



Expositor Líquidos Three

Expositor triple para productos líquidos, compuesto por doce estantes a configurar por el distribuidor autorizado, con productos adecuados a su mercado.

Liquids Display Stand Three

Triple display stand for liquid products, compound by 12 shelves to be set by the authorized distributor, with adecuate products for the market.

Guía de uso de productos líquidos / Liquid produts use guide

Limpieza de: Cleaning of:	MÁRMOL, CALIZA Y TERRAZO / MARBLE, LIMESTONE AND TERRAZZO — Abrillantado / Shine	Pulido sin brillo / Matt Poush	Basto rugoso / Rough	ARENISCA Y CUARCITA / QUARTZITE MATT POLISH — Pulido sin brillo / Matt Polish
Restos de obra (cemento, mortero, yeso, etc) / Works Stains (Cement, mortar, plaster, etc)	Wax-Off	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Incrustaciones de cal / Limescare	Wax-Off	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Salitre / Saltpetre	Wax-Off	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Eflorescencias / Efflorescence	Wax-Off	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Óxido / Oxide	Wax-Off	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Silicona / Silicone	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Ceras viejas / Old Wax	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Cristalizadores / Crystallizers	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Resinas / Resins	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Graffitis /Graffitis	Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff
Tinta y tintes / Ink and Dyes	Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff
Moho, verdín, algas, etc. / Desodorización / Deodorisation	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Grasas origen animal (carne, leche, mantequilla, etc) / Animal Fats (Meat, milk, butter, etc)	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Grasas origen vegetal (aceite oliva, café, chocolate, etc) / Vegetable Fats (olive oil, coffee, chocolate, etc)	Stain-Off	Stain-Off	Stain-Off	Stain-Off
Grasas origen mineral (Aceites sintéticos, etc) / Mineral Fats (Synthetic oils, etc)	Stain-Off	Stain-Off	Stain-Off	Stain-Off
Protección y embellecido: Protection and Embellished:				
Antimanchas Invisible/ Invisible Stain Resistant	Protector Plus	Protector Plus	Protector Plus	Protector Plus
Antihumedad Invisible / Invisible Damp Resistant	Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector encimeras invisible / Invisible worktop proctetor	Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector encimeras abrillantador / Worktop Protector Shiner	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Impermeabilizante efecto mojado / Waterproof wet effect	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Impermeabilizante abrillantador / Watrproff shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Cristalizado / Crystallized	Crystal	Crystal	-	-
Abrillantado intenso / Intensive Shine	Wax Protector	Wax Protector	Wax Protector	Wax Protector
Abrillantado efecto metalizado / Polished Metallic Effect	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax
Tapaporos sellador extraduro / Extra Hard Sealer	Wax Protector	Wax Protector	Wax Protector	Wax Protector
Abrillantado y protección de cantos y zócalos no pulidos Polished and edge protection and non polished baseboard	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Mantenimiento regular: Regular Maintenance				
Limpieza y mantenimiento del brillo / Cleaning and Maintenance of shine	Deter & Main	Deter & Main	Deter & Main	Deter & Main
Desodorización / Deodorisation	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Higienización antibacteriana / Antibacterial Cleaning	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Limpieza y abrillantado metálico / Metallic Clean and shine	Deter-Metallic Wax	Deter-Metallic Wax	-	Deter-Metallic Wax

1 Realizar previamente una prueba para asegurar su resistencia a los ácidos

GRANITO / GRANITE			ENGINEERING STONE		
Abrillantado Shine	Pulido sin brillo Matt Poush	Basto rugoso Rough	Abrillantado/ Shine	Pulido sin brillo/ Matt Poush	Basto rugoso/ Rough
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-	ACID PLUS 1	ACID PLUS 1
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-	ACID PLUS 1	ACID PLUS 1
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-	ACID PLUS 1	ACID PLUS 1
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-	ACID PLUS 1	ACID PLUS 1
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-	ACID PLUS 1	ACID PLUS 1
Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off	Wax-Off
Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff
Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Stain-Off	Stain-Off	Stain-Off	Stain-Off	Stain-Off	Stain-Off
Stain-Off	Stain-Off	Stain-Off	Stain-Off	Stain-Off	Stain-Off
Protector Plus	Protector Plus	Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector Plus	Protector Plus	Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector Plus	Protector Plus	Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
-	-	-	-	-	-
Wax Protector	Wax Protector	Wax Protector	Wax Protector	Wax Protector	Wax Protector
Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax
Wax Protector	Wax Protector	Wax Protector	Wax Protector	Wax Protector	Wax Protector
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Deter & Main	Deter & Main	Deter & Main	Deter & Main	Deter & Main	Deter & Main
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Deter-Metallic Wax	Deter-Metallic Wax	-	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax

Guía de uso de productos líquidos / Liquid produts use guide

Limpieza de: Cleaning of:	PIZARRA / SLATE Dura Hard	PIZARRA / SLATE Blanda Soft	HORMIGÓN, CEMENTO CONCRETE, CEMENT Pulido sin brillo Matt Polish
Restos de obra (cemento, mortero, yeso, etc) / Works Stains (Cement, mortar, plaster, etc)	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Incrustaciones de cal / Limescare	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Salitre / Saltpetre	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Eflorescencias / Efflorescence	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Óxido / Oxide	ACID PLUS 1	ACID PLUS 1	ACID PLUS 1
Silicona / Silicone	Wax-Off	Wax-Off	Wax-Off
Ceras viejas / Old Wax	Wax-Off	Wax-Off	Wax-Off
Cristalizadores / Crystallizers	Wax-Off	Wax-Off	Wax-Off
Resinas / Resins	Wax-Off	Wax-Off	Wax-Off
Graffitis /Graffitis	Deter-Graff	Deter-Graff	Deter-Graff
Tinta y tintes / Ink and Dyes	Deter-Graff	Deter-Graff	Deter-Graff
Moho, verdín, algas, etc. / Desodorización / Deodorisation	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Grasas origen animal (carne, leche, mantequilla, etc) / Animal Fats (Meat, milk, butter, etc)	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Grasas origen vegetal (aceite oliva, café, chocolate, etc) / Vegetable Fats (olive oil, coffee, chocolate, etc)	Stain-Off	Stain-Off	Stain-Off
Grasas origen mineral (Aceites sintéticos, etc) / Mineral Fats (Synthetic oils, etc)	Stain-Off	Stain-Off	Stain-Off
Protección y embellecido: Protection and Embellished:			
Antimanchas Invisible/ Invisible Stain Resistant	Protector Plus	Protector Plus	Protector Plus
Antihumedad Invisible / Invisible Damp Resistant	Protector Plus	Protector Plus	Protector Plus
Protector encimeras invisible / Invisible worktop proctetor	Protector Plus	Protector Plus	Protector Plus
Protector encimeras abrillantador / Worktop Protector Shiner	Protector & Shine	Protector & Shine	Protector & Shine
Impermeabilizante efecto mojado / Waterproof wet effect	Protector & Shine	Protector & Shine	Protector & Shine
Impermeabilizante abrillantador / Watrproff shine	Protector & Shine	Protector & Shine	Protector & Shine
Cristalizado / Crystallized	-	-	-
Abrillantado intenso / Intensive Shine	Wax Protector	Wax Protector	Wax Protector
Abrillantado efecto metalizado / Polished Metallic Effect	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax
Tapaporos sellador extraduro / Extra Hard Sealer	Wax Protector	Wax Protector	Wax Protector
Abrillantado y protección de cantos y zócalos no pulidos Polished and edge protection and non polished baseboard	Protector & Shine	Protector & Shine	Protector & Shine
Mantenimiento regular: Regular Maintenance			
Limpieza y mantenimiento del brillo / Cleaning and Maintenance of shine	Deter & Main	Deter & Main	Deter & Main
Desodorización / Deodorisation	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Higienización antibacteriana / Antibacterial Cleaning	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Limpieza y abrillantado metálico / Metallic Clean and shine	Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax

1 Realizar previamente una prueba para asegurar su resistencia a los ácidos

BARRO CLAY	PORCELÁNICO PORCELAIN	GRES STONEWARE	LINÓLEO, PVC LINOLEUM, PVC
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-
ACID PLUS 1	ACID PLUS 1	ACID PLUS 1	-
Wax-Off	Wax-Off	Wax-Off	Wax-Off
Wax-Off	Wax-Off	Wax-Off	Wax-Off
Wax-Off	Wax-Off	Wax-Off	Wax-Off
Wax-Off	Wax-Off	Wax-Off	Wax-Off
Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff
Deter-Graff	Deter-Graff	Deter-Graff	Deter-Graff
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Stain-Off	Stain-Off	Stain-Off	Stain-Off
Stain-Off	Stain-Off	Stain-Off	Stain-Off
Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector Plus	Protector Plus	Protector Plus	Protector Plus
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
-	-	-	-
Wax Protector	Wax Protector	Wax Protector	Wax Protector
Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax	-
Wax Protector	Wax Protector	Wax Protector	Wax Protector
Protector & Shine	Protector & Shine	Protector & Shine	Protector & Shine
Deter & Main	Deter & Main	Deter & Main	Deter & Main
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Deter-Hygienic	Deter-Hygienic	Deter-Hygienic	Deter-Hygienic
Deter-Metallic Wax	Deter-Metallic Wax	Deter-Metallic Wax	-





Ácido Oxálico

Producto en cristales grandes de alta calidad, destinado al abrillantado de Mármoles, Terrazos y otras superficies calcáreas. Además se utiliza para limpieza de granitos y obras en general. Producto destinado a uso profesional.

Fluorsilicato de Magnesio

Producto en cristales de alta calidad, destinado al cristalizado de Mármoles, Terrazos y otras superficies calcáreas. Producto destinado a uso profesional.

Bloques 5 Extra

Producto abrillantador de alta calidad, presentado en pequeños bloques, destinado al cristalizado de Mármoles, Terrazos y otras superficies calcáreas. Producto destinado a uso profesional,

nomenclatura / nomenclature

Nombre / Name	Envase / Package
ACIDO OXALICO / OXALIC ACID	15 kgs
FLUORSILICATO DE MAGNESIO / MAGNESIUM FLUORSILICATO	15 kgs
BLOQUES 5 EXTRA /5 EXTRA BLOCK	15 kgs

1 Ud./Caja
Units/Box

Oxalic Acid

Product in high quality, large crystals, destined to gloss Marbles, Terrazzos and other limestones. It´s also used for cleaning granites and works in general. Product for professional use.

Magnesium Fluorsilicato

Product in high quality crystals, destined to crystallize Marbles, Terrazzos and other limestones. Product for professional use.

Blocks 5 Extra

High quality shining product, presented in small blocks, destined to crystallize Marbles, Terrazzos and other limestones. Product for professional use.





Poteas

BLANCA: Producto en polvo de alta calidad, destinado al abrillantado de Mármoles, Terrazos y otras superficies calcáreas.

NEGRA: Producto en polvo de alta calidad, destinado al abrillantado de Mármoles oscuros, Granitos y la Piedra en general.

GRIS: Producto en polvo de alta calidad, destinado al abrillantado de Granitos y Compuestos de Sílice.

Polishing Powder

WHITE: A high quality powder product, destined to shine Marbles, Terrazzos and other calcareous surfaces.


BLACK: A high quality powder product, destined to shine dark Marbles, Granites and other Stone Materials.

GREY: A high quality powder product, destined to shine Granites and Silica compound.

nomenclatura / nomenclature

Nombre / Name	Envase / Package
POTEA BLANCA / WHITE POLISHING POWDER	15 kgs
POTEA NEGRA / BLACK POLISHING POWDER	15 kgs
POTEA GRIS / GREY POLISHING POWDER	7,5 kgs

1 Ud./Caja
Units/Box


-12
-11
-10
-9
-8
-7
-6
-5
-4
-3
-2
-1
0
+1
+2
+3
+4
+5
+6
+7
+8
+9
+10
+11
+12